

FXR Inverter/Charger Temperature Derating

Models: All FX Series Inverter/chargers

All OutBack FXR inverters can deliver their full rated wattage at temperatures up to 25°C (77°F). OutBack FXR inverter maximum wattage has a lower rating at higher temperatures. Above 25°C, the FXR is derated by a factor of approximately 1%/C°. Note: in OutBack product literature, at maximum temperature extremes product performance is stated as “functions, but does not necessarily meet all component specifications” for this reason.

The following graphs show the FXR wattage decreasing with increased temperature. The graph ends at 60° because FXR inverters are not rated for operation above that temperature.




Figure 1: Power/Temperature de-rating for FXR 60Hz models

FXR Power/Temperature Derating Curves for 50Hz Inverter/Chargers




Figure 2: Power/Temperature de-rating for FXR 50Hz models

About OutBack Power Technologies

OutBack Power Technologies is a leader in off-grid and Grid/Hybrid advanced energy conversion technology. OutBack products include true sine-wave inverter/chargers, maximum power point tracking charge controllers, batteries, and system communication components, pre-assembled systems, and accessories.

Disclaimers: UNLESS SPECIFICALLY AGREED TO IN WRITING, OUTBACK POWER TECHNOLOGIES...

- A. MAKES NO WARRANTY AS TO THE ACCURACY, SUFFICIENCY OR SUITABILITY OF ANY TECHNICAL OR OTHER INFORMATION PROVIDED IN ITS MANUALS OR OTHER DOCUMENTATION.
- B. ASSUMES NO RESPONSIBILITY OR LIABILITY FOR LOSS OR DAMAGE, WHETHER DIRECT, INDIRECT, CONSEQUENTIAL OR INCIDENTAL, WHICH MIGHT ARISE OUT OF THE USE OF SUCH INFORMATION. THE USE OF ANY SUCH INFORMATION WILL BE ENTIRELY AT THE USER'S RISK.
- C. OUTBACK POWER TECHNOLOGIES ASSUMED NO RESPONSIBILITY FOR SYSTEM FAILURE, DAMAGES, OR INJURY RESULTING FROM IMPROPER INSTALLATION OR MIS-USE OF ITS PRODUCTS. INFORMATION INCLUDED IN THIS TECH NOTE IS SUBJECT TO CHANGE WITHOUT NOTICE.



Worldwide Corporate Offices

Headquarter Germany

Hansastraße 8
D-91126 Schwabach
Tel: +49 9122 79889 0
Fax: +49 9122 79889 21
Mail: info@alpha-outback-energy.com

Eastern Europe

ee@alpha-outback-energy.com

France and Benelux

fbnl@alpha-outback-energy.com

Russia

russia@alpha-outback-energy.com

Middle East

me@alpha-outback-energy.com

Spain

spain@alpha-outback-energy.com

Africa

africa@alpha-outback-energy.com

Alpha and Outback Energy GmbH reserves the right to make changes to the products and information contained in this document without notice. Copyright © 2020 Alpha and Outback Energy GmbH. All Rights reserved.

For more information please visit www.alpha-outback-energy.com